



## **Corrective Mathematics**

Common Core State Standards for Grade 5	Lesson Reference
Operations and Algebraic Thinking 5.0A	
Write and interpret numerical expressions.	
<b>5.OA.1.</b> Use parentheses, brackets, or braces in numerical expressions, and evaluate expressions with these symbols.	<b>Fractions-Decimals-Percents,</b> <b>TPB:</b> (Lesson.Exercise) 1.1, 2.1, 3.1
<b>5.OA.2.</b> Write simple expressions that record calculations with numbers, and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as $2 \times (8 + 7)$ . Recognize that $3 \times (18932 + 921)$ is three times as large as $18932 + 921$ without having to calculate the indicated sum or product.	
Analyze patterns and relationships.	
<b>5.OA.3.</b> Generate two numerical patterns using two given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. For example, given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the corresponding terms in the other sequence. Explain informally why this is so.	
Number and Operations in Base Ten 5.NBT	
Understand the place value system	
<b>5.NBT.1</b> Recognize that in a multi-digit number, a digit in the ones place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left.	
<b>5.NBT.2.</b> Explain patterns in the number of zeros of the product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of 10.	
5.NBT.3. Read, write, and compare decimals to thousandths.	
<b>5.NBT.3.a.</b> Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., $347.392 = 3 \times 100 + 4 \times 10 + 7 \times 1 + 3 \times (1/10) + 9 \times (1/100) + 2 \times (1/1000)$ .	<b>Fractions-Decimals-Percents,</b> <b>TPB:</b> (Lesson.Exercise) 32.4-6,

<b>5 NPT 2 b</b> Compare two desimple to the upped the based on meanings of the digits in each place	33.3, 33.4, 34.4-6, 35.3-6, 36.3-6, 37.3-8, 38.3-5, 39.3, 39.4, 40.3, 40.4, 41.2, 41.2, 42.2, 43.2 <b>Fractions-Decimals-Percents, WB:</b> (Lesson.Exercise) 32.4, 33.3, 34.4, 34.5, 36.3, 35.4, 36.3-5, 37.3-5, 38.3, 38.4, 39.3, 39.4, 40.3, 40.4, 41.2, 41.3, 42.2, 43.3
<b>5.NBT.3.b.</b> Compare two decimals to thousandths based on meanings of the digits in each placusing >, =, and < symbols to record the results of comparisons.	ce,
<b>5.NBT.4.</b> Use place value understanding to round decimals to any place.	
Perform operations with multi-digit whole numbers and with decimals to hundredths.	
5.NBT. 5. Fluently multiply multi-digit whole numbers using the standard algorithm.	Multiplication, TPB:
	(Lesson.Exercise) 16.5, 17.6, 17.7,
	18.5, 19.5, 20.6, 21.6, 22.6, 23.3,
	24.6, 25.6, 26.6, 27.5, 28.7, 29.7,
	30.3, 31.3, 31.4, 31.5, 31.8, 32.3,
	32.4, 33.6, 34.7, 35.4, 35.6, 36.6,
	37.6, 38.5, 39.6, 39.7, 40.6, 41.7,
	42.3, 43.4, 44.7, 45.5, 46.6, 47.6,
	48.5, 49.5, 51.6, 52.6, 53.5, 54.6,
	54.7, 54.8, 55.6, 55.7, 56.6, 57.6
	Multiplication, WB:
	(Lesson.Exercise) 16.4, 17.5, 17.6,
	18.5, 19.5, 20.6, 21.6, 22.6, 23.3,
	24.6, 25.6, 26.6, 27.5, 28.7, 29.6,
	30.3, 31.3, 31.4, 31.5, 31.7, 32.3,
	32.4, 33.6, 34.7, 35.4, 35.6, 36.6,
	37.6, 38.5, 39.6, 39.7, 40.6, 41.7,
	42.3, 43.4, 44.7, 45.5, 46.6, 47.6,
	48.5, 49.5, 51.6, 52.6, 53.5, 54.6,

	54.7, 54.8, 55.6, 55.7, 56.6, 57.6,
	58.4, 58.5, 59.5, 59.6, 60.5, 60.6,
	61.4, 61.5, 62.4, 62.5, 63.4, 64.4,
	65.3, 65.4
<b>5.NBT.6.</b> Find whole-number quotients of whole numbers with up to four-digit dividends and two-digit dividends and two-digit	Division, TPB: (Lesson.Exercise)
divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations,	6.3-6, 7.2-5, 8.2-4, 9.2-6, 10.3-6,
rectangular arrays, and/or area models.	11.1-7, 12.1-7, 13.1-3, 14.3-5, 15.3-
	5, 16.3, 16.4, 17.5-7, 18.5, 19.3,
	20.3, 21.5, 21.6, 22.5, 22.6, 23.4-6,
	24.4-6, 25.4, 25.5, 26.4, 27.5, 28.4,
	29.5, 30.6, 30.7, 31.5, 32.3, 32.4,
	33.6, 34.7, 35.4, 35.5, 36.4-6, 37.6,
	37.7, 38.4, 38.5, 39.3, 39.5, 39.7,
	39.8, 40.6-9, 41.6-8, 42.4, 42.5, 43.4,
	43.6, 44.5, 44.6, 45.6, 45.7, 46.6,
	47.6, 47.7, 50.3, 50.6, 51.6, 52.4,
	53.3, 54.4, 54.6, 55.6, 56.4
	Division, WB: (Lesson.Exercise)
	6.3, 6.4, 7.2, 7.3, 8.2, 9.2-4, 10.3-5,
	11.1-5, 12.1-5, 13.1, 14.3, 15.3, 15.4,
	16.2, 16.3, 17.4, 17.5, 18.4, 19.2,
	20.2, 21.3, 22.3, 23.3-5, 24.2-4, 25.2,
	5.3, 26.3, 27.4, 28.4, 29.4, 30.5, 30.6,
	31.3, 32.3, 32.4, 33.5, 34.6, 35.3,
	35.4, 36.3, 36.5, 37.5, 38.3, 39.2,
	39.3, 39.5, 40.5-7, 41.5-7, 52.3, 42.4,
	43.3, 43.5, 44.4, 44.5, 45.5, 45.6,
	46.5, 47.5, 47.6, 50.2, 50.5, 51.5,
	52.3, 53.3, 54.3, 54.5, 55.5, 56.3,
	57.6, 58.5, 59.3, 60.3, 61.3, 62.3,
	63.2, 64.3, 65.2

5.NBT.7. Add, subtract, multiply, and divide decimals to hundredths, using concrete models or drawings and strategies based on place value, properties or operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used.	Fractions-Decimals-Percents, TPB: (Lesson.Exercise) 38.6, 39.5, 39.6, 40.5, 40.6, 41.4, 42.3-5, 43.3, 43.4, 44.3-5, 45.2-5, 46.2-5, 47.2-5, 48.2-5, 49.2-5, 50.3-6, 51.2-5, 52.2- 6, 53.2-7, 54.2-4, 55.2-6, 56.2-5, 57.2, 57.3, 57.5, 58.1, 58.2, 59.1, 59.3, 60.1, 60.2, 60.6, 61.1, 61.6, 62.1, 63.2, 64.1, 64.4, 65.1, 65.4, 66.2, 67.1, 67.4, 68.1, 69.2, 69.5, 70.4 Fractions-Decimals-Percents, WB: (Lesson.Exercise) 39.5, 40.5, 41.4, 41.5, 42.3, 42.4, 43.4, 43.5, 44.3, 44.4, 45.2-4, 46.2-4, 47.2-4, 48.2-4, 49.2-5, 50.3-5, 51.2-5, 52.2-4, 53.2- 5, 54.2-4, 55.2-4, 56.2, 56.3, 57.2-4, 58.1, 58.2, 59.1, 59.3, 60.2, 60.5, 61.1, 61.4, 62.1, 63.2, 64.1, 64.3, 65.1, 65.3, 66.2, 67.1, 67.3, 68.1,
	69.2, 69.5, 70.4
Numbers and Operations–Fractions 5.NF	·
Use equivalent fractions as a strategy to add and subtract fractions.	
<b>5 NF.1.</b> Add and subtract fractions with unlike denominators (including mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. For example, $2/3 + 5/4 = 8/12 + 15/12 = 23/12$ . (In general, $a/b + c/d = (ad + bc)/bd$ .)	<b>Fractions-Decimals-Percents,</b> <b>TPB:</b> (Lesson.Exercise) 2.4, 3.3, 4.3-5, 5.4, 6.4-6, 7.4, 8.3, 8.4, 9.3, 10.3, 11.1, 11.4, 11.5, 12.1, 13.1, 14.1, 15.4, 16.3, 17.3, 18.4, 19.3, 20.5, 21.5, 22.5, 23.4, 26.4, 27.4, 28.5, 29.4, 30.3, 31.3, 33.2, 35.1, 36.1, 38.1, 40.1

	<b>Fractions-Decimals-Percents, WB:</b> (Lesson.Exercise) 2.2, 6.3, 6.4, 7.3, 8.3, 8.4, 9.3, 10.3, 11.1, 11.3, 11.4, 12.1, 13.1, 14.1, 15.2, 16.2, 17.3, 18.4, 19.3, 20.3, 21.3, 22.4, 23.3, 26.3, 27.3, 28.3, 29.3, 30.3, 31.3, 33.2, 35.1, 36.1, 38.1, 40.1
<b>5.NF.2.</b> Solve word problems involving addition and subtraction of fractions referring to the same whole, including cases of unlike denominators, e.g., by using visual fraction models or equations to represent the problem. Use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers. <i>For example, recognize an incorrect result</i> $2/5 + \frac{1}{2} = \frac{3}{7}$ , <i>by observing that</i> $\frac{3}{7} < \frac{1}{2}$ .	
<ul> <li>Apply and extend previous understandings of multiplication and division to multiply and divide fr</li> <li>5.NF.3. Interpret a fraction as division of the numerator by the denominator (a/b = a ÷ b).</li> <li>Solve word problems involving division of whole numbers leading to answers in the form of fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem. For example, interpret 3/4 as the result of dividing 3 by 4, noting that 3/4 multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of size 3/4. If 9 people want to share a 50-pound sack of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie?</li> <li>5.NF.4. Apply and extend previous understandings of multiplication to multiply a fraction or whole</li> </ul>	actions.
<b>5.NF.4.</b> Apply and extend previous understandings of multiplication to multiply a fraction of whole number by a fraction. <b>5.NF.4a.</b> Interpret the product $(a/b) \times q$ as a parts of a partition of $q$ into $b$ equal parts; equivalently, as the result of a sequence of operations $a \times q \div b$ . For example, use a visual fraction model to show (2/3) $\times 4 = 8/3$ , and create a story context for this equation. Do the same with (2/3) $\times (4/5) = 8/15$ . (In general, $(a/b) \times (c/d) = ac/bd$ ).	Basic Fractions, TPB: (Lesson.Exercise) 23.3, 24.3, 25.2, 26.3, 27.2, 28.3, 29.4, 30.2, 30.3, 31.1, 32.1, 33.1, 34.1, 34.3, 35.1, 35.3, 36.1, 37.2, 38.2, 39.5, 40.3, 41.3, 42.2, 43.3, 44.4, 45.5, 46.5, 47.3, 48.1, 49.4, 50.5, 51.2, 52.3, 53.2, 54.2, 55.2 Basic Fractions, WB:
	(Lesson.Exercise) 23.5, 24.3, 25.3, 26.5, 27.4, 28.3, 29.4, 30.2, 30.3,

	31.1, 32.1, 33.1, 34.1, 34.3, 35.1, 35.3, 36.1, 37.1, 38.1, 39.2, 40.1, 41.2, 42.2, 43.2, 44.3, 45.2, 46.4, 47.2, 48.1, 49.3, 50.4, 51.2, 52.3, 53.2, 54.2, 55.2
	Fractions-Decimals-Percents, TPB: (Lesson.Exercise) 1.6, 2.4, 6.6, 8.4, 12.5, 15.4, 16.3, 17.3, 18.4, 19.3, 20.5, 21.5, 22.5, 23.4, 26.4, 30.3, 35.1, 38.1, 40.1 Fractions-Decimals-Percents, WB: (Lesson.Exercise) 1.3, 2.2, 6.4, 8.4, 12.4, 15.2, 16.2, 17.3, 18.4, 19.3, 20.3, 21.3, 22.4, 23.3, 26.3, 30.3, 35.1, 38.1, 40.1
<b>5.NF.4b.</b> Find the area of a rectangle with fractional side lengths by tiling it with unit squares of appropriate unit fraction side lengths, and show that the area is the same as would be found by multiplying the side lengths. Multiply fractional side lengths to find areas of rectangles, and represent fraction products as rectangular areas.	
5.NF.5. Interpret multiplication as scaling (resizing), by:	
<b>5.NF.5a.</b> Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication.	
<b>5.NF.5b.</b> Explaining why multiplying a given number by a fraction greater than 1 results in a product greater than the given number (recognizing multiplication by whole numbers greater than 1 as a familiar case); explaining why multiplying a given number by a fraction less than 1 results in a product smaller than the given number; and relating the principle of fraction equivalence $a/b = (nxa)/(nxb)$ to the effect of multiplying $a/b$ by 1.	
<b>5.NF.6.</b> Solve real world problems involving multiplication of fractions and mixed numbers, e.g., by using visual fraction models or equations to represent the problem.	Basic Fractions, TPB: (Lesson.Exercise) 52.3, 53.2, 54.2, 55.2 Basic Fractions, WB: (Lesson.Exercise) 52.3, 53.2, 54.2,

	55.2
	Fractions-Decimals-Percents, TPB: (Lesson.Exercise) 1.6, 6.6, 8.4, 12.5, 15.4, 16.3, 17.4, 18.4, 20.5, 21.5, 22.5, 23.4, 26.4, 30.3, 35.1 Fractions-Decimals-Percents, WB: (Lesson.Exercise) 1.3, 6.4, 8.4, 12.4, 15.2, 16.2, 17.3, 18.4, 20.3, 21.3, 22.4, 23.3, 26.3, 30.3, 35.1
<b>5.NF.7.</b> Apply and extend previous understandings of division to divide unit fractions by whole numbers	
<ul> <li>and whole numbers by unit fractions.</li> <li><b>5.NF.7a.</b> Interpret division of a unit fraction by a non-zero whole number, and compute such quotients. For example, create a story context for (1/3) ÷ 4, and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that (1/3) ÷ 4 = 1/12 because (1/12) × 4 = 1/3.</li> <li><b>5.NF.7b.</b> Interpret division of a whole number by a unit fraction, and compute such quotients. For example, create a story context for 4 / (1/5), and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that (1/3) ÷ 4 = 1/12 because (1/12) × 4 = 1/3.</li> <li><b>5.NF.7b.</b> Interpret division of a whole number by a unit fraction, and compute such quotients. For example, create a story context for 4 / (1/5), and use a visual fraction model to show the quotient. Use the relationship between multiplication and division to explain that 4 / (1/5) = 20 because 20 × (1/5) = 4.</li> <li><b>5.NF.7c.</b> Solve real world problems involving the division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem. For example, how much chocolate will each person get if 3 people share ½ lb. of chocolate equally? How many 1/3-cup servings are in 2 cups of raisins?</li> <li><b>Measurement and Data 5.MD</b></li> </ul>	
Convert like measurement units within a given measurement system.	
<b>5.MD.1.</b> Convert among different-sized standard measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m) and use these conversions in solving multi-step, real world problems.	
Represent and interpret data.	
<b>5.MD.2.</b> Make a line plot to display a data set of measurements in fractions of a unit (1/2, ¼, 1/8). Use operations of fractions for this grade to solve problems involving information presented in line plots. For example, given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were distributed equally.	
Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition.	

measurement.       5.MD.3a. A cube with side length 1 unit, called a "unit cube" is said to have "one cubic unit" of volume, and can be used to measure volume.         5.MD.3b. A solid figure which can be packed without gaps and overlaps using <i>n</i> unit cubes is said to have a volume of <i>n</i> cubic units.         5.MD.4. Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.         5.MD.5. Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.         5.MD.5a. Find the volume of a right rectangular prism with whole number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge of lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole-number products as volumes, e.g., to represent the associative property.         5.MD.5b. Apply the formulas $V = 1 \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms by adding the volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         6 Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         6.Genetry       GS         Graph points on the coordinate plane to solve real-world and m		
and can be used to measure volume.         5.MD.3b. A solid figure which can be packed without gaps and overlaps using <i>n</i> unit cubes is said to have a volume of <i>n</i> cubic units.         5.MD.4. Measure volumes by counting unit cubes, using cubic cm, cubic ft, and improvised units.         5.MD.5. Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.         5.MD.5. Thin dt volume of a right rectangular prism with whole number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge of lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole-number products as volumes, e.g., to represent the associative property.         5.MD.5.D.5b. Apply the formulas $V = I \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms by adding the volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Ceometry       C5         Cf. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, and the coordinate, y-axis and x-coordinate, y-axis and y-coordinate).         S.6.1. Use a pair of perpendicula	<b>5.MD.3.</b> Recognize volume as an attribute of solid figures and understand concepts of volume measurement.	
5.MD.3b. A solid figure which can be packed without gaps and overlaps using <i>n</i> unit cubes is said to have a volume of <i>n</i> cubic units.       5.MD.4. Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.         5.MD.5. Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.		
have a volume of n cubic units.       5.MD.4. Measure volumes by counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.         5.MD.5. Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.       5.MD.5a. Find the volume of a right rectangular prism with whole number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge of lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole-number products as volumes, e.g., to represent the associative property.         5.MD.5b. Apply the formulas $V = l \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         6Geometry       65         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel in the driftent of the ascol axis, with the coordinate, <i>y</i> -axis and <i>y</i> -coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the		
units.       5.MD.5. Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.         5.MD.5a. Find the volume of a right rectangular prism with whole number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge of lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole-number products as volumes, e.g., to represent the associative property.         5.MD.5b. Apply the formulas V = /x w x h and V = b x h for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two nonoverlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> -coordinate, <i>y</i> -axis and <i>y</i> -coordinate).         5.G.2. Represent		
units.       5.MD.5. Relate volume to the operations of multiplication and addition and solve real world and mathematical problems involving volume.         5.MD.5a. Find the volume of a right rectangular prism with whole number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge of lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole-number products as volumes, e.g., to represent the associative property.         5.MD.5b. Apply the formulas V = /x w x h and V = b x h for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two nonoverlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> -coordinate, <i>y</i> -axis and <i>y</i> -coordinate).         5.G.2. Represent	<b>5 MD 4</b> Measure volumes by counting unit cubes using cubic cm, cubic in, cubic ft, and improvised	
mathematical problems involving volume.         5.MD.5a. Find the volume of a right rectangular prism with whole number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge of lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole-number products as volumes, e.g., to represent the associative property.         5.MD.5b. Apply the formulas $V = 1 × x h and V = b × h for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.       Geometry         Graph points on the coordinate plane to solve real-world and mathematical problems.       Geometry         Julae cacked by using an ordered pair of numbers, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the first quadrant of the cooordinate.         Sto$	units.	
5.MD.5a. Find the volume of a right rectangular prism with whole number side lengths by packing it         with unit cubes, and show that the volume is the same as would be found by multiplying the edge of         lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole-         number products as volumes, e.g., to represent the associative property.         5.MD.5b. Apply the formulas $V = I \times w h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Ceometry       C5         6.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, and y-coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.2. Represent real world and mathematical problems by g		
with unit cubes, and show that the volume is the same as would be found by multiplying the edge of lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole-number products as volumes, e.g., to represent the associative property. 5.MD.5b. Apply the formulas V = I × w × h and V = b × h for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems. 5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems. Geometry G5 Graph points on the coordinate plane to solve real-world and mathematical problems. 5.01. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the situation. 5.6.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate). 5.6.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate. Coordinate, y-axis and y-coordinate). 5.6.2. Represent travel out and mathematical problems by graphing points in the first quadrant of the coordinate values of points in the context of the situation. Classify two-dimensional figures into categories based on their properties. 5.6.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all re		
lengths, equivalently by multiplying the height by the area of the base. Represent three-fold whole- number products as volumes, e.g., to represent the associative property.         5.MD.5b. Apply the formulas $V = I \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non- overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, vith the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x- coordinate, y-axis and y-coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figu		
number products as volumes, e.g., to represent the associative property.         5.MD.5b. Apply the formulas $V = I \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solving real world and mathematical problems.         6.Memory G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the orgin in the direction of the sex and $x$ -coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are		
5.MD.5b. Apply the formulas V = I × w × h and V = b × h for rectangular prisms to find volumes of right rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non-overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
rectangular prisms with whole number edge lengths in the context of solving real world and mathematical problems. 5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non- overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems. Geometry G5 Graph points on the coordinate plane to solve real-world and mathematical problems. 5.C.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> - coordinate, <i>y</i> -axis and <i>y</i> -coordinate). 5.C.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation. Classify two-dimensional figures into categories based on their properties. 5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
mathematical problems.         5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non- overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> - coordinate, <i>y</i> -axis and <i>y</i> -coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
5.MD.5c. Recognize volume as an additive. Find volumes of solid figures composed of two non- overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> - coordinate, <i>y</i> -axis and <i>y</i> -coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.	rectangular prisms with whole number edge lengths in the context of solving real world and	
overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.	mathematical problems.	
overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.	<b>5.MD.5c.</b> Recognize volume as an additive. Find volumes of solid figures composed of two non-	
technique to solve real world problems.         Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1.       Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.       Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel from the ordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).         5.G.2.       Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3.       Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
Geometry       G5         Graph points on the coordinate plane to solve real-world and mathematical problems.         5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> -coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
<ul> <li>5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i>-axis and <i>x</i>-coordinate, <i>y</i>-axis and <i>y</i>-coordinate).</li> <li>5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.</li> <li>Classify two-dimensional figures into categories based on their properties.</li> <li>5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.</li> </ul>		
<ul> <li>5.G.1. Use a pair of perpendicular number lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i>-axis and <i>x</i>-coordinate, <i>y</i>-axis and <i>y</i>-coordinate).</li> <li>5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.</li> <li>Classify two-dimensional figures into categories based on their properties.</li> <li>5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.</li> </ul>	Graph points on the coordinate plane to solve real-world and mathematical problems.	
intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> -coordinate, <i>y</i> -axis and <i>y</i> -coordinate). 5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation. Classify two-dimensional figures into categories based on their properties. 5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
plane located by using an ordered pair of numbers, called its coordinates.         Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> -coordinate, <i>y</i> -axis and <i>y</i> -coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
and the second number indicates how far to travel in the direction of the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
convention that the names of the two axes and the coordinates correspond (e.g., x-axis and x-coordinate, y-axis and y-coordinate).       5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
coordinate, y-axis and y-coordinate).         5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
5.G.2. Represent real world and mathematical problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
coordinate plane, and interpret coordinate values of points in the context of the situation.         Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
Classify two-dimensional figures into categories based on their properties.         5.G.3. Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
<b>5.G.3.</b> Understand that attributes belonging to a category of two-dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.		
rectangles, so all squares have four right angles.		
<b>5 G 4</b> Classify two-dimensional figures in a hierarchy based on properties		
	<b>5.G.4.</b> Classify two-dimensional figures in a hierarchy based on properties.	