


Common Core State Standards Initiative Math Standards High School: Algebra





Algebra STANDARDS

ESSENTIALS for ALGEBRA © 2008

PAGE REFERENCES

	<u> </u>
Seeing Structure in Expressions	
ALGEBRA OVERVIEW	
Interpret the structure of expressionsWrite expressions in equivalent forms	to solve problems
 Interpret expressions that represent a quantity in terms of its context. 	
 Interpret parts of an expression, such as terms, factors, and coefficients. 	PB 1: (Lesson.Exercise) 16.3, 17.4, 18.1, 18.4, 19.4, 21.5, 22.3, 23.4, 24.2, 26.3, 27.2, 30.3, 31.3, 31.5, 32.3, 32.4, 32.6, 33.2, 34.4, 35.5, 37.1, 40.1, 42.1, 43.2, 44.1, 45.3, 48.2, 49.5, 56.2 PB2: (Lesson.Exercise) 61.1, 62.3, 63.1, 64.3, 65.2, 66.5, 67.6, 88.2, 89.1, 89.2, 108.3, 109.4, 110.2, 112.2, 113.5, 114.2, 115.5, 116.5, 119.3 TG: pages 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74
 Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret P(1+r)ⁿ as the product of P and a factor not depending on P. 	PB2: (Lesson.Exercise) 108.3, 109.4, 110.2, 112.2, 113.3, 114.2, 115.5, 116.5
2 . Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of	PB 1: (Lesson.Exercise) 42.1, 43.2, 44.1, 45.3, 46.2, 47.5, 48.2, 49.5, 50.1, 50.5, 51.5, 60.1

PB1, PB2: Presentation Book 1 or 2 TG: Teacher's Guide

Algebra STANDARDS	PAGE REFERENCES
squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.	PB2: (Lesson.Exercise) 61.1, 62.3, 63.1, 63.2, 64.3, 65.2, 65.3, 66.5, 66.6, 67.6, 69.1, 70.3, 77.2, 78.6, 104.1, 104.3, 105.4, 106.3, 107.5, 108.3, 109.4, 100.2, 112.2, 113.3, 114.2, 115.5, 116.5, 119.3
3. Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.	
 a. Factor a quadratic expression to reveal the zeros of the function it defines. 	
 b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines. 	
c. Use the properties of exponents to transform expressions for exponential functions. For example the expression 1.15 ^t can be rewritten as (1.15 ^{1/12}) ^{12t} ≈ 1.012 ^{12t} to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.	PB2: (Lesson.Exercise) 61.5, 62.5, 63.2, 65.3, 66.6, 69.1, 70.3, 77.2, 78.6, 89.1, 90.2, 91.2, 92.1, 93.1, 95.5, 96.2, 97.3, 98.1, 99.5, 104.1, 104.3, 105.2, 105.4, 106.3, 107.5, 108.3, 109.4, 110.2, 111.5, 112.2, 113.3, 114.2, 115.5, 116.5 TG: pages 131, 132, 133, 134, 135, 136, 146, 147, 148, 149
4. Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. For example, calculate mortgage payments.	

Arithmetic with Polynomials and Rational Functions

ALGEBRA OVERVIEW

- Perform arithmetic operations on polynomials
- Understand the relationship between zeros and factors of polynomials
- Use polynomial identities to solve problems
- **Rewrite rational functions**
- 1. Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials. 2. Know and apply the Remainder Theorem: For a polynomial p(x) and a number a, the remainder on division by x - a is p(a), so p(a) = 0 if and only if (x - a)-a) is a factor of p(x).
- 3. Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.
- 4. Prove polynomial identities and use them to describe numerical relationships. For example, the polynomial identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples.
- 5. Know and apply the Binomial Theorem for the expansion of $(x + y)^n$ in powers of x and y for a positive integer n, where x and y are any numbers. with coefficients determined for example by Pascal's Triangle.

PB1, PB2: Presentation Book 1 or 2 TG: Teacher's Guide

Algebra STANDARDS	PAGE REFERENCES
6. Rewrite simple rational expressions in different forms; write $a^{(x)}/_{b(x)}$ in the form $q(x) + r^{(x)}/_{b(x)}$, where $a(x)$, $b(x)$, $q(x)$, and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$, using inspection, long division, or, for the more	PAGE REPERCES
complicated examples, a computer algebra system. 7. Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions.	PB 1: (Lesson.Exercise) 16.3, 16.5, 16.6, 17.2, 17.4, 18.1, 18.4, 19.1, 19.3, 19.4, 20.1, 20.2, 20.4, 20.5, 21.2, 21.3, 21.4, 21.5, 22.1, 22.2, 22.3, 22.4, 23.2, 23.3, 23.4, 23.5, 24.1, 24.2, 24.4, 25.2, 25.3, 25.4, 25.6, 26.2, 26.3, 26.4, 27.2, 27.3, 27.4, 27.5, 28.2, 28.4, 28.6, 29.1, 29.2, 29.3, 29.5, 30.3, 30.5, 30.6, 31.3, 31.4, 31.5, 32.2, 32.3, 32.4, 32.5, 32.6, 33.1, 33.2, 33.3, 34.2, 34.3, 34.4, 34.6, 35.2, 35.4, 35.5, 36.2, 36.4, 36.5, 37.1, 37.2, 37.4, 38.2, 38.3, 38.4, 39.1, 39.2, 39.5, 40.3, 40.5, 41.1, 41.3, 41.4, 42.1, 42.2, 42.5, 43.2, 43.3, 44.1, 44.2, 45.1, 45.3, 45.4, 45.5, 46.1, 46.3, 46.4, 46.5, 47.1, 47.2, 47.3, 47.4, 48.2, 48.3, 48.4, 48.5, 48.6, 49.1, 49.2, 49.3, 49.4, 49.5, 50.2, 50.3, 50.5, 51.2, 51.3, 51.6, 52.1, 52.2, 52.5, 53.1, 53.2, 53.4, 53.5, 54.1, 54.3, 54.4, 54.5, 54.7, 55.1, 55.3, 55.4, 55.5, 56.1, 56.2, 56.3, 56.5, 57.1, 57.3, 57.5, 57.6, 58.2, 58.4, 59.1, 59.2, 59.5, 60.2, 60.5
	PB2: (Lesson.Exercise) 62.1, 62.3, 62.4, 63.3, 63.4, 63.5, 64.1, 64.2, 64.3, 64.4, 65.1, 65.2, 65.3, 65.4, 65.5, 66.1, 66.2, 66.3, 66.4, 66.5, 66.6, 67.1, 67.2, 67.3, 67.4, 67.5, 67.6, 68.1, 68.2, 68.3, 68.4, 68.5, 69.1, 69.2, 69.3, 69.4, 69.5, 70.1, 70.2, 70.3, 70.4, 71.1, 71.3, 71.4, 72.1, 72.2, 72.3, 72.4, 72.5, 72.6, 73.1, 73.2, 73.3, 73.4, 73.5, 74.1, 74.2, 74.3, 74.4, 74.5, 75.1, 75.2, 75.3, 75.4, 75.5, 75.6, 75.7, 76.1, 76.2, 76.3, 76.4, 76.5, 76.6, 77.1, 77.2, 77.3, 77.4, 77.5, 78.1, 78.2, 78.3, 78.4, 78.5, 78.6, 79.1, 79.2, 79.3, 79.4, 79.5, 80.2, 80.3, 80.4, 80.5, 81.1, 81.3, 81.4, 81.5, 82.1, 82.2, 82.3, 82.4, 82.5, 83.1, 83.2, 83.3, 83.4, 83.5, 84.2, 84.3, 84.4, 85.3, 85.4, 85.5, 86.1, 86.4, 86.5, 86.6, 87.2, 87.3, 87.4, 87.5, 88.1, 88.2, 88.3, 88.4, 88.5, 88.6, 89.1, 89.2, 89.3, 89.4, 89.5, 90.1, 90.2, 90.3, 90.4, 90.5, 91.1, 91.2, 91.3, 91.4, 91.5, 92.1, 92.2, 92.3, 92.4, 92.5, 93.1, 93.2, 93.3, 93.4, 93.5, 94.1, 94.2, 94.3, 94.4, 95.1, 95.2, 95.3, 95.4, 95.5, 96.1, 96.2, 96.3, 96.4, 96.5, 97.1, 97.2, 97.3, 97.4, 97.5, 98.1, 98.2, 98.3, 98.4, 98.5, 99.1, 99.2, 99.3, 99.4, 99.5, 100.1, 100.2, 100.3, 100.4, 100.5, 101.1, 101.2, 101.3, 101.4, 101.5, 102.2, 102.3, 102.4, 102.5, 103.1, 103.2, 103.3, 103.5, 104.1, 104.2, 104.3, 104.4, 104.6, 105.1, 105.2, 105.3, 105.4, 105.5, 106.5, 106.1, 106.2, 106.3, 106.4, 106.5, 107.1, 107.2, 107.4, 107.5, 108.1, 108.2, 108.3, 108.4, 108.5, 109.1, 109.2, 109.3, 109.4, 109.5, 110.1, 110.2, 110.3, 110.4, 110.5, 110.6, 111.1, 111.2, 111.3, 111.4, 111.5, 111.6, 112.1, 112.2, 112.3, 112.4, 112.5, 113.1, 113.2, 113.3, 113.4, 113.5, 114.2, 114.3, 114.4,

Algebra STANDARDS	PAGE REFERENCES
	114.5, 115.1, 115.4, 115.5, 116.1, 116.2, 116.5, 117.2, 117.4, 118.2, 118.4, 119.1, 119.2, 119.3, 120.1, 120.2, 120.3
	TG : pages 50-155
Creating Equations	
ALGEBRA OVERVIEW	n neletienekine
Create equations that describe numbers of the companies of the com	PB 1: (Lesson.Exercise) 16.3, 20.1, 21.1, 22.2, 22.3,
and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.	23.1, 23.4, 23.5, 24.2, 25.6, 26.3, 27.1, 31.3, 32.6, 33.2, 34.4, 35.5, 40.1, 40.5, 50.3, 51.2, 52.1, 55.1, 55.3, 56.1, 56.3, 57.6
	PB2: (Lesson.Exercise) 61.2, 61.3, 62.2, 62.4, 63.33, 63.5, 64.2, 66.2, 67.4, 68.1, 69.2, 70.1, 70.2, 70.4, 71.1, 71.3, 72.2, 72.6, 73.5, 74.3, 77.3, 78.1, 79.5, 81.1, 82.2, 83.2, 84.3, 85.5, 86.4, 87.3, 87.5, 89.2, 91.4, 92.2, 93.3, 94.3, 94.4, 95.2, 95.3, 96.4, 96.5, 97.5, 98.5, 100.4, 102.2, 102.3, 1103.2, 104.6, 106.1, 107.2, 108.1, 109.2, 110.6, 111.1, 111.4, 111.6, 112.1, 1113.2, 113.4, 114.4, 114.5, 115.1, 116.1, 118.2, 1118.4
2. Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.	PB 1: (Lesson.Exercise) 32.2, 33.2, 33.5, 34.1, 34.4, 35.1, 35.5, 36.5, 37.1, 37.2, 38.2, 38.3, 39.1, 39.2, 39.5, 40.1, 40.3, 40.5, 41.3, 41.4, 42.2, 43.3, 44.2, 45.1, 46.1, 47.2, 48.3, 52.1, 53.1, 54.4, 54.7, 55.1, 55.4, 56.1, 56.2, 57.1, 57.5, 58.2, 59.2, 60.2
	PB2: (Lesson.Exercise) 61.2, 61.3, 61.4, 62.1, 62.2, 62.4, 63.3, 63.4, 63.5, 64.2, 64.4, 65.1, 65.2, 65.4, 65.5, 66.1, 66.2, 66.3, 66.4, 66.5, 67.2, 67.4, 67.5, 67.6, 68.1, 68.3, 68.4, 68.5, 69.2, 69.3, 69.4, 69.5, 70.1, 70.2, 70.4, 71.1, 71.3, 71.4, 72.2, 72.4, 72.6, 73.1, 73.4, 73.5, 74.2, 74.3, 75.1, 75.5, 76.1, 76.2, 76.3, 77.1, 77.3, 77.4, 77.5, 78.1, 78.2, 78.5, 79.2, 79.4, 79.5, 80.1, 80.4, 81.2, 81.3, 82.4, 83.2, 83.5, 84.3, 84.4, 85.3, 86.1, 86.4, 87.2, 87.5, 88.5, 89.4, 90.1, 90.5, 91.3, 92.4, 93.3, 93.5, 94.1, 94.3, 94.4, 95.1, 95.2, 95.3, 96.1, 96.4, 96.5, 97.2, 98.3, 98.5, 99.1, 99.2, 100.3, 100.5, 101.2, 101.3, 101.5, 102.3, 102.5, 103.1, 103.2, 104.2, 104.6, 105.1, 105.5, 106.1, 106.2, 107.2, 107.3, 108.1, 108.5, 109.2, 109.3, 110.5, 110.6, 111.1, 111.4, 111.6, 112.1, 112.3, 113.2, 113.4, 114.1, 114.4, 114.5, 115.1, 115.2, 116.1, 116.3, 117.2, 117.3, 118.2, 119.3, 120.1, 120.2, 120.3 TG: pages 63-110
3. Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or nonviable options in a modeling context. For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.	10. pages 03-110

PB1, PB2: Presentation Book 1 or 2 TG: Teacher's Guide

4 Rearrange formulas to highlight a quantity of	Algebra STANDARDS	PAGE REFERENCES
interest, using the same reasoning as in solving equations. For example, rearrange Ohm's law V = IR to highlight resistance R.	equations. For example, rearrange Ohm's law V =	

Reasoning with Equations and Inequalities

ALGEBRA OVERVIEW

- Understand solving equations as a process of reasoning and explain the reasoning
- Solve equations and inequalities in one variable
- Solve systems of equations
- Represent and solve equations and inequalities graphically **PB 1:** (Lesson.Exercise) 16.3, 16.5, 17.2, 17.4, 18.1, 1. Explain each step in solving a simple equation 18.4, 19.2, 19.3, 19.4, 19.5, 20.1, 20.2, 20.4, 20.5, as following from the equality of numbers asserted 21.1, 21.3, 21.4, 21.5, 22.1, 22.2, 22.3, 22.4, 23.1, at the previous step, starting from the assumption 23.3, 23.4, 23.5, 24.1, 24.2, 24.4, 25.2, 25.3, 25.4, that the original equation has a solution. Construct 25.6, 26.2, 26.3, 26.4, 26.5, 27.2, 27.3, 27.4, 27.5, a viable argument to justify a solution method. 28.2, 28.4, 28.6, 29.1, 29.3, 29.5, 30.3, 30.6, 31.3, 31.4, 31.5, 32.2, 32.3, 32.4, 32.5, 32.6, 33.5, 34.1, 34.2, 34.3, 34.4, 34.6, 35.1, 35.2, 35.3, 35.5, 36.2, 36.4, 36.5, 37.1, 37.2, 37.4, 38.2, 38.5, 39.1, 39.2, 39.5, 40.1, 40.3, 41.1, 41.3, 41.4, 42.2, 42.3, 43.3, 44.1, 44.2, 45.1, 45.3, 45.5, 46.1, 46.4, 46.5, 47.1, 47.2, 47.3, 48.2, 48.3, 48.6, 49.5, 50.5, 51.3, 52.1, 53.1, 53.6, 54.4, 54.7, 55.4, 56.2, 56.3 **PB2:** (Lesson.Exercise) 61.3, 62.1, 62.4, 63.2, 63.5, 64.1, 64.2, 64.4, 65.1, 65.2, 65.4, 65.5, 66.1, 66.2, 66.3, 66.4, 66.5, 67.3, 67.4, 67.5, 68.1, 68.3, 68.5, 69.2, 69.3, 69.5, 70.1, 70.2, 71.1, 71.3, 71.4, 72.2, 72.4, 72.6, 73.1, 73.4, 73.5, 74.1, 74.3, 75.3, 75.5, 76.2, 76.3, 77.1, 77.3, 78.2, 79.1, 79.4, 79.5, 80.2, 80.4, 80.5, 81.2, 81.3, 81.4, 83.4, 83.5, 84.3, 84.5, 85.3, 85.5, 86.4, 87.3, 87.5, 88.3, 88.6, 89.3, 89.5, 90.3, 90.4, 91.1, 92.3, 92.5, 93.2, 93.3, 94.4, 95.2, 95.4, 96.3, 96.4, 96.5, 97.4, 98.4, 99.3, 100.1, 100.2, 100.4, 101.1, 101.2, 101.4, 102.2, 102.4, 103.2, 103.5, 104.1, 105.1, 106.1, 107.2, 108.1, 109.2, 109.3, 109.5, 110.4, 110.6, 111.1, 111.4, 111.6, 112.1, 112.3, 113.2, 114.4, 119.3, 120.2, 120.3 **TG:** pages 63-110 **PB 1:** (Lesson.Exercise) 16.3, 16.5, 17.2, 17.4, 18.1, 2. Solve simple rational and radical equations in 18.4, 19.2, 19.3, 19.4, 19.5, 20.1, 20.2, 20.4, 20.5, one variable, and give examples showing how 21.1, 21.3, 21.4, 21.5, 22.1, 22.2, 22.3, 22.4, 23.1, extraneous solutions may arise. 23.3, 23.4, 23.5, 24.1, 24.2, 24.4, 25.2, 25.3, 25.4, 25.6, 26.2, 26.3, 26.4, 26.5, 27.2, 27.3, 27.4, 27.5, 28.2, 28.4, 28.6, 29.1, 29.3, 29.5, 30.3, 30.6, 31.3, 31.4, 31.5, 32.2, 32.3, 32.4, 32.5, 32.6, 33.5, 34.1, 34.2, 34.3, 34.4, 34.6, 35.1, 35.2, 35.3, 35.5, 36.2, 36.4, 36.5, 37.1, 37.2, 37.4, 38.2, 38.5, 39.1, 39.2, 39.5, 40.1, 40.3, 41.1, 41.3, 41.4, 42.2, 42.3, 43.3, 44.1, 44.2, 45.1, 45.3, 45.5, 46.1, 46.4, 46.5, 47.1, 47.2, 47.3, 48.2, 48.3, 48.6, 49.5, 50.5, 51.3, 52.1, 53.1, 53.6, 54.4, 54.7, 55.4, 56.2, 56.3 **PB2:** (Lesson.Exercise) 61.3, 62.1, 62.4, 63.2, 63.5,

PB1, PB2: Presentation Book 1 or 2 TG: Teacher's Guide

Algebra STANDARDS	PAGE REFERENCES
	64.1, 64.2, 64.4, 65.1, 65.2, 65.4, 65.5, 66.1, 66.2, 66.3, 66.4, 66.5, 67.3, 67.4, 67.5, 68.1, 68.3, 68.5, 69.2, 69.3, 69.5, 70.1, 70.2, 71.1, 71.3, 71.4, 72.2, 72.4, 72.6, 73.1, 73.4, 73.5, 74.1, 74.3, 75.3, 75.5, 76.2, 76.3, 77.1, 77.3, 78.2, 79.1, 79.4, 79.5, 80.2, 80.4, 80.5, 81.2, 81.3, 81.4, 83.4, 83.5, 84.3, 84.5, 85.3, 85.5, 86.4, 87.3, 87.5, 88.3, 88.6, 89.3, 89.5, 90.3, 90.4, 91.1, 92.3, 92.5, 93.2, 93.3, 94.4, 95.2, 95.4, 96.3, 96.4, 96.5, 97.4, 98.4, 99.3, 100.1, 100.2, 100.4, 101.1, 101.2, 101.4, 102.2, 102.4, 103.2, 103.5, 104.1, 105.1, 106.1, 107.2, 108.1, 109.2, 109.3, 109.5, 110.4, 110.6, 111.1, 111.4, 111.6, 112.1, 112.3, 113.2, 114.4, 119.3, 120.2, 120.3
Solve linear equations and inequalities in one variable, including equations with coefficients	TG: pages 63-110 PB 1: (Lesson.Exercise) 30.3, 31.5, 32.3, 33.1, 34.3, 34.6, 35.2, 36.4, 37.1, 44.1, 45.3, 46.4, 47.1, 48.2,
represented by letters.	49.5, 50.5, 52.2, 53.6, 54.4, 54.7 PB2: (Lesson.Exercise) 61.3, 62.1, 62.4, 63.2, 63.5, 64.1, 64.2, 64.4, 65.1, 65.2, 65.4, 65.5, 66.1, 66.2, 66.3, 66.4, 66.5, 67.3, 67.4, 67.5, 68.1, 68.3, 68.5, 69.2, 69.3, 69.5, 70.1, 70.2, 71.1, 71.3, 71.4, 72.2, 72.4, 72.6, 73.1, 73.4, 73.5, 74.1, 74.3, 75.3, 75.5, 76.2, 76.3, 77.1, 77.3, 78.2, 79.1, 79.4, 79.5, 80.2, 80.4, 80.5, 81.2, 81.3, 81.4, 83.4, 83.5, 84.3, 84.5, 85.3, 85.5, 86.4, 87.3, 87.5, 88.3, 88.6, 89.3, 89.5, 90.3, 90.4, 91.1, 92.3, 92.5, 93.2, 93.3, 94.4, 95.2, 95.4, 96.3, 96.4, 96.5, 97.4, 98.4, 99.3, 100.1, 100.2, 100.4, 101.1, 101.2, 101.4, 102.2, 102.4, 103.2, 103.5, 104.1, 105.1, 106.1, 107.2, 108.1, 109.2, 109.3, 109.5, 110.4, 110.6, 111.1, 111.4, 111.6, 112.1, 112.3, 113.2, 114.4, 119.3, 120.2, 120.3 TG: pages 63-110
Solve quadratic equations in one variable.	16. pages 63-110
Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.	
Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b .	
5 . Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions.	PB2: (Lesson.Exercise) 75.3, 76.2, 77.1, 78.2, 79.4, 80.4, 81.3, 82.4, 83.5, 84.4, 85.3 TG: pages 136, 137, 138, 139
6. Solve systems of linear equations exactly and	PB2: (Lesson.Exercise) 80.1, 81.2, 85.2, 86.3, 102.1,

PB1, PB2: Presentation Book 1 or 2 TG: Teacher's Guide

Algebra STANDARDS	PAGE REFERENCES
approximately (e.g., with graphs), focusing on pairs of linear equations in two variables.	103.4, 104.2, 104.5, 105.5, 106.2, 106.6, 107.3, 108.5, 120.1 TG: page 109
7. Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.	13. μage 109
8. Represent a system of linear equations as a single matrix equation in a vector variable.	
9. Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension 3 × 3 or greater).	
10 . Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).	PB 1: (Lesson.Exercise) 332.2, 33.5, 34.1, 35.1, 36.5, 37.2, 38.2, 39.1, 40.3, 43.3, 44.2, 52.1, 53.1, 55.1, 56.1, 57.1, 58.2, 59.2, 60.2
, in the second	PB2: (Lesson.Exercise) 67.2, 68.4, 69.4, 70.4, 74.2, 75.1, 76.1, 77.5, 78.5, 79.2, 80.1, 811.2, 85.2, 86.3, 102.1, 103.4, 104.2, 104.5, 105.5, 106.4, 106.6, 107.3, 108.5, 120.1
	TG: pages 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113
11. Explain why the <i>x</i> -coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.	PB2: (Lesson.Exercise) 106.6, 107.3, 108.5
12. Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the	PB2: (Lesson.Exercise) 114.1, 115.2, 116.3, 117.3, 118.3
solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.	TG : pages 112, 113